



**4TH FLOOR FRAMING PLAN**

SCALE: 1:100

- TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS CROSSED AND NOTED ON PLAN.
- CONCRETE STRENGTH AT 28 DAYS SHALL BE:
  - FOR WALLS AND COLUMNS ..... SET SCHEDULE
  - FOR EXT. SLABS ..... SET SCHEDULE
  - FOR INTERIOR SLABS ..... 35 MPa
  - FOR BEAMS ..... 35 MPa
- FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:
 

STAIRS & BALCONIES	S.D.O.	4.80 kPa
LOCKERS & STORAGE	* 1.30 kPa	4.80 kPa
RESIDENTIAL	1.30 kPa	1.90 kPa
TOILETS	1.30 kPa	2.40 kPa
TERRACES	5.0 kPa	4.80 kPa
- MINIMUM YIELD STRESS FOR REINFORCING STEEL SHALL BE 400 MPa.
- TEMPERATURE REINFORCING FOR : 200 SLAB IS 100%20.
- NO OPENINGS LARGER THAN 300mm x 300mm ARE ALLOWED IN SLAB OTHER THAN THOSE SHOWN ON DRAWINGS.
- SEE TYPICAL DETAILS ON DRAWINGS S-001 TO S-005.
- SEE GENERAL NOTES ON DRAWING S-001.
- REFER TO ARCH. DRAWINGS FOR SLOPES OF SLAB.
- FOR COLUMN & WALL SCHEDULE SEE DRAWINGS S-010 TO S-008.
- COORDINATE BEAM DEPTH AT DOOR OPENINGS WITH ARCH. DRAWINGS.
- EXTEND TEMP. REIN. TO END OF BALCONIES/OVERHANGS.
- TOP BARS TERMINATING AT EDGE OF SLAB TO HAVE 180° HOOK.

DIRECTION OF REINFORCING OF THE SLAB

TL & BT	TL & BT
TL & BT	TL & BT

**Joblonsky, Asl and Partners ENGINEERS**  
 1100 SHEPPARD AVENUE EAST  
 SUITE 200  
 SCARBOROUGH, ONTARIO M1B 4Y7  
 TEL: 416-441-2700  
 FAX: 416-441-2701  
 E-MAIL: REPRODUCTION@JOBLONSKY.COM

**FIRST FLOOR ELEV. ROOM**

NO.	Roomed/Room	OTHER
1	RECEPTION	RECEPTION
2	RECEPTION	RECEPTION
3	RECEPTION	RECEPTION
4	RECEPTION	RECEPTION
5	RECEPTION	RECEPTION
6	RECEPTION	RECEPTION
7	RECEPTION	RECEPTION
8	RECEPTION	RECEPTION
9	RECEPTION	RECEPTION
10	RECEPTION	RECEPTION
11	RECEPTION	RECEPTION
12	RECEPTION	RECEPTION
13	RECEPTION	RECEPTION
14	RECEPTION	RECEPTION
15	RECEPTION	RECEPTION
16	RECEPTION	RECEPTION

**ALEXANDRA PARK - BLOCK 11**  
 TORONTO, ONTARIO

DATE: 11/08  
 DRAWN BY: [Name]  
 CHECKED BY: [Name]  
 DATE REVISED: MARCH 2014