


**5TH FLOOR FRAMING PLAN**

SCALE 1 : 100

1. TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS NOTED ON PLAN.
2. CONCRETE STRENGTH AT 28 DAYS SHALL BE: FOR WALLS AND COLUMNS ..... 35 MPa FOR INTERIOR SLABS ..... 25 MPa FOR BEAMS ..... 35 MPa CONCRETE EXPOSED TO ELEMENTS SHALL BE 35 MPa WITH 6% TO BE ENRICHED MK.
3. FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:
 

	S.L.D.	L.L.
STAIRS & BALCONIES	0.50 kPa	4.80 kPa
LOCKERS & STORAGE	1.30 kPa	4.80 kPa
RESIDENTIAL	1.30 kPa	1.9 kPa
TOILETS	1.30 kPa	2.40 kPa
TERRACES	5.0 kPa	4.80 kPa



**5TH FLOOR BEAM SCHEDULE (f<sub>c</sub>' = 35MPa)**

MARK	REINFORCEMENT		STIRRUPS		REMARKS
	WIDTH	DEPTH	BOTTOM	TOP	
BM-1	500	500			

**ALEXANDRA PARK - BLOCK 11**  
TORONTO, ONTARIO

**Jablonsky, Asif and Partners ENGINEERS**  
200 BAYVIEW AVE. SUITE 200  
SCARBOROUGH, ONTARIO M1W 2Y5  
Tel: 416-441-2727  
E-mail: jablonsky@jap.ca

**PROJ. NO. 11-00**  
DATE: 11/00  
DRAWN BY: M.M. MAMUN  
CHECKED BY: M.M. MAMUN  
DATE: MARCH 2014

**FIRST FLOOR ELEV. 80.00m**

NO.	REVISION	DATE
1	ISSUED FOR PERMIT	2014/03/04
2	REVISION FOR COMMENTS	2014/03/04
3	ISSUED FOR CONSTRUCTION	2014/03/04
4	REVISION FOR COMMENTS	2014/03/04
5	ISSUED FOR CONSTRUCTION	2014/03/04

**5TH FLOOR FRAMING PLAN**

S-107