COLUMN & WALL SCHEDULE

COL. No. / DATA	f'c	M 2	M 3	M 4	M 9	Lx.6–Lx.13	M 12	M 13	Mx.6–Mx.13	N 2	N 3	N 5	N 10	N 12	N 13	N.3–Nx.3	Q 3	Ny 3z	COL. No. / DATA
UPPER ROOF																			UPPER ROOF
4350 PENTHOUSE																			4350 PENTHOUSE
3470 14TH FLOOR		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20	450x450 8–20		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20	300x600 6–20	450x450 8–20				3470 14TH FLOOR
3250 13TH FLOOR																			3250 13TH FLOOR
2950 12TH FLOOR																			2950 12TH FLOOR
3050 11TH FLOOR																			3050 11TH FLOOR
2950 10TH FLOOR		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20	450x450 8–20					300x600 6–20	300x600 6–20	450x450 8–20				2950 10TH FLOOR
		M.2–M.3z					M.10x–M.13						N.6–N.13						
		200 WALL		BEAM			200 WALL						200 WALL						
3050 9TH FLOOR	f'c=30 MPa	ADD 4–20 VEE ▲					ADD 4–20 VEE ▲						ADD 4–20 VEE ▲						3050 9TH FLOOR
		200 WALL					200 WALL						200 WALL						
3250 8TH FLOOR		ADD 4–20 VEE ▲					ADD 4–20 VEE ▲						ADD 4–20 VEE ▲						3250 8TH FLOOR
							200 WALL						200 WALL						
2950 7TH FLOOR							ADD 4–20 VEE ▲						ADD 4–20 VEE ▲						2950 7TH FLOOR
							200 WALL 10@200 HEF 10@300 VEF ADD 4–20H⊕ T&B ADD 4–20 VEE ▲			450x450 8–20	300x600 6–20	300x600 6–20	200 WALL			250 WALL		300x600 6–20	
2950 6TH FLOOR													ADD 4–20 VEE ▲			ADD 4–20 VEE ▲		Nx.3z–Q.3z	2950 6TH FLOOR
						SLAB	SLAB	SLAB											
3050 5TH FLOOR						200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲	900x250 8–20	250 WALL ADD 4–20 VEE ▲	250x600 6–20	200 WALL ADD 4–20 VEE ▲	3050 5TH FLOOR
2790 4TH FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		250 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	2790 4TH FLOOR
2790 3RD FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲		200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		250 WALL ADD 4–25 VEE ▲		200 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ TOP ADD 4–25 VEE ▲	2790 3RD FLOOR
2950 2ND FLOOR		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ T&B ADD 4–25 VEE ▲				SLAB 300x600 10–30		BEAM 800x300 10–30		300 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	300 WALL 10@200 HEF 10@200 VEF ADD 4–20H⊕ T&B ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲	BEAM 250 WALL 10@200 HEF 10@200 VEF ADD 4–25 VEE ▲	900x250 8–20	250 WALL ADD 4–20H⊕ T&B ADD 4–25 VEE ▲	250x600 6–20	SLAB 300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	200 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ BOT ADD 4–25 VEE ▲	2950 2ND FLOOR
4250 GROUND	f'c=35 MPa	250 WALL 15@200 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	SLAB			BEAM		BEAM		300 WALL 15@250 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	300 WALL 15@200 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	SLAB	SLAB RAMP WALL	SLAB	300x800 10–30	BEAM–SLAB	250 WALL 15@250 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	BEAM	250 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	200 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	SLAB 300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	SLAB 250 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	450x450 8–25	4250 GROUND
EL. 0.000		BEAM								SLAB	SLAB				BEAM		SLAB			SLAB											EL. 114.75
DATA / COL. No.	f'c	M.1–M.3x				Lx 13	M.10x–M.13		Mx 13	M.12/13–M.14	My.12–My.14	My.3x–My.5	My.3x–N.3x	My.5–N.5	N 1/2	N.2–N.5	N.11–N.13	Ny 2	P.1–P.3	N.3–Q.3	L.3x–Q.3x	L/LX.7–Q.7	Ny.3x–Ny.3y	Q 3z	DATA / COL. No.

RAMP WALL

Jablonsky, Ast and Partners
CONSULTING ENGINEERS
1129 LESLIE STREET
DON MILLS, ON., M3C 2K5
TEL 416-447 7405
FAX 416-447 2771
E-mail jap@astint.on.ca

REGISTERED PROFESSIONAL ENGINEER
P.F. AST
13015
PROVINCE OF ONTARIO

FIRST FLOOR ELEV. 93.60m

no.	issued / revised	date:
1	ISSUED FOR PERMIT	2014-05-30
2	RE ISSUED FOR PERMIT	2014-07-10
3	ISSUED FOR FORMAL TENDER	2014-08-07
4	CONSTRUCTION REVIEW	2014-12-15
5	RE ISSUED FOR PERMIT	2015-01-27
6	ISSUED FOR CONSTRUCTION	2015-03-16
7	UPDATED - P.C.	2015-04-20

ALEXANDRA PARK - BLOCK 11
TORONTO, ONTARIO

project no:	13015
scale:	AS NOTED
drawn by:	H.W.
reviewed by:	H.P.
date started:	MARCH 2014

COLUMN & WALL SCHEDULE

S-205