




**6TH FLOOR FRAMING PLAN**


SCALE 1:100

- TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS CROSSED AND NOTED ON PLAN.
- CONCRETE STRENGTH AT 28 DAYS SHALL BE:
  - FOR WALLS AND COLUMNS ..... SEE SCHEDULE
  - FOR EXIST. SLABS ..... 35 MPa
  - FOR INTERIOR SLABS ..... 35 MPa
  - FOR EXTERIOR SLABS ..... 35 MPa
  - CONCRETE EXPOSED TO ELEMENTS SHALL BE 35 MPa WITH 6% TO BE STRIPPED MK.
- FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:
 

S.L.O.	S.L.O.	U.L.L.
STAIRS & BALCONIES	0.50 MPa	4.80 MPa
LOCKERS & STORAGE	1.30 MPa	4.80 MPa
RESIDENTIAL	1.30 MPa	1.9 MPa
TOILETS	1.30 MPa	2.40 MPa
TERRACES	5.0 MPa	4.80 MPa



- MINIMUM YIELD STRESS FOR REINFORCING STEEL SHALL BE 400 MPa.
- TEMPERATURE REINFORCING FOR: 200 SLAB IS 1000X.
- NO OPENINGS LARGER THAN 300MM X 300MM ARE ALLOWED IN SLAB OTHER THAN THOSE SHOWN ON DRAWINGS.
- SEE TYPICAL DETAILS ON DRAWINGS S-001 TO S-005.
- REFER TO ARCH. DRAWINGS FOR SLOPES OF SLAB.
- FOR COLUMN & WALL SCHEDULE SEE DRAWINGS S-301 TO S-306.
- EXTEND TEMP. REIN. TO END OF BALCONIES/OVERHANGS.
- TOP BARS TERMINATING AT EDGE OF SLAB TO HAVE 180° HOOK.



**ALEXANDRA PARK - BLOCK 11**  
TORONTO, ONTARIO

FIRST FLOOR ELEV. 80.00m

No.	Issued For/Revised	Date
1	ISSUED FOR PERMIT	2014.03.04
2	REVISIONS	2014.03.04
3	ISSUED FOR CONSTRUCTION	2014.03.04
4	REVISIONS	2014.03.04
5	ISSUED FOR CONSTRUCTION	2014.03.04
6	REVISIONS	2014.03.04
7	ISSUED FOR CONSTRUCTION	2014.03.04
8	REVISIONS	2014.03.04

**Johlborsky, Asif**  
and Partners  
ENGINEERS

1110 SHEPPARD AVENUE EAST  
SUITE 100  
SCARBOROUGH, ONTARIO M1B 2Y9  
TEL: 416-444-2727  
FAX: 416-444-2727  
E-MAIL: johlborsky@johlborsky.com

**P.F. ASIF**  
REGISTERED PROFESSIONAL ENGINEER  
PROV. NO. 2007