COLUMN & WALL SCHEDULE

COL. No. / DATA	f'c	M 2	M 3	M 4	M 9	Lx.6–Lx.13	M 12	M 13	Mx.6–Mx.13	N 2	N 3	N 5	N 10	N 12	N 13	N.3–Nx.3	Q 3	Ny 3z	COL. No. / DATA
UPPER ROOF																			UPPER ROOF
4150 PENTHOUSE																			4350 PENTHOUSE
3370 14TH FLOOR		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20	450x450 8–20		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20	300x600 6–20	450x450 8–20				3470 14TH FLOOR
3250 13TH FLOOR																			3250 13TH FLOOR
2950 12TH FLOOR																			2950 12TH FLOOR
3050 11TH FLOOR																			3050 11TH FLOOR
2950 10TH FLOOR		450x450 8–20 M.2–M.3z	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20 M.10x–M.13	450x450 8–20					300x600 6–20 N.6–N.13	300x600 6–20	450x450 8–20				2950 10TH FLOOR
3050 9TH FLOOR	42–30 MPa	200 WALL ADD 4–20 VEE ▲		BEAM			200 WALL ADD 4–20 VEE ▲						200 WALL ADD 4–20 VEE ▲						3050 9TH FLOOR
2950 8TH FLOOR		200 WALL ADD 4–20 VEE ▲					200 WALL ADD 4–20 VEE ▲						200 WALL ADD 4–20 VEE ▲						2950 8TH FLOOR
2950 7TH FLOOR							200 WALL ADD 4–20 VEE ▲						200 WALL ADD 4–20 VEE ▲						2950 7TH FLOOR
2950 6TH FLOOR							200 WALL 10@200 HEF 10@300 VEF ADD 4–20H⊕ T&B ADD 4–20 VEE ▲				450x450 8–20	300x600 6–20	300x600 6–20	200 WALL ADD 4–20 VEE ▲		250 WALL ADD 4–20 VEE ▲		300x600 6–20 Nx.3z–Q.3z	2950 6TH FLOOR
3050 5TH FLOOR						SLAB 200 WALL ADD 4–20 VEE ▲	SLAB	SLAB 200 WALL ADD 4–20 VEE ▲		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲	900x250 8–20	250 WALL ADD 4–20 VEE ▲	250x600 6–20		200 WALL ADD 4–20 VEE ▲	3050 5TH FLOOR
2790 4TH FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–20 VEE ▲		250 WALL ADD 4–20 VEE ▲			200 WALL ADD 4–20 VEE ▲	2790 4TH FLOOR
2790 3RD FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲		200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ TOP ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲		250 WALL ADD 4–25 VEE ▲			200 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ TOP ADD 4–25 VEE ▲	2790 3RD FLOOR
3250 2ND FLOOR		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H⊕ T&B ADD 4–25 VEE ▲				SLAB BEAM 300x600 10–30		BEAM BEAM 800x300 10–30		300 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	300 WALL 10@200 HEF 10@200 VEF ADD 4–20H⊕ T&B ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H⊕ BOT ADD 4–25 VEE ▲	BEAM 250 WALL 10@200 HEF 10@200 VEF ADD 4–25 VEE ▲	900x250 8–20	250 WALL ADD 4–20H⊕ T&B ADD 4–25 VEE ▲	250x600 6–20	SLAB 300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	200 WALL 10@200 HEF 10@200 VEF ADD 4–20H ⊕ BOT ADD 4–25 VEE ▲	3250 2ND FLOOR
4250 GROUND	42–30 MPa	250 WALL 15@200 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	SLAB	BEAM		BEAM		BEAM		300 WALL 15@250 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	300 WALL 15@200 HEF 10@200 VEF ADD 4–25 H ⊕ T&B ADD 4–25 VEE ▲	SLAB	SLAB RAMP WALL	SLAB	300x600 10–30	BEAM–SLAB	250 WALL 15@250 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	BEAM 250 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	200 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	SLAB 300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲	SLAB 250 WALL 15@300 HEF 10@200 VEF ADD 4–20H ⊕ T&B ADD 4–25 VEE ▲	450x450 8–25	4250 GROUND
EL. 0.000		BEAM								SLAB	SLAB			BEAM		SLAB	SLAB	RAMP WALL	SLAB	EL. 114.75
DATA / COL. No.	f'c	M.1–M.3x				Lx 13	M.10x–M.13	Mx 13	M.12/13–M.14	My.12–My.14	My.3x–My.5	My.3x–N.3x	My.5–N.5	N 1/2	N.2–N.5	N.11–N.13	Ny 2	P.1–P.3	N.3–Q.3	L.3x–Q.3x	L/LX.7–Q.7	Ny.3x–Ny.3y	Q 3z	DATA / COL. No.

Jablonsky, Ast and Partners
CONSULTING ENGINEERS
1129 LESLIE STREET
DON MILLS, ON., M3C 2K5
TEL. 416–447 7405
FAX 416–447 2771
E–mail jap@astrint.on.ca

P.F. AST 13015

FIRST FLOOR ELEV. 93.60m

no.	issued / revised	date:
1	ISSUED FOR PERMIT	2014-05-30
2	RE ISSUED FOR PERMIT	2014-07-10
3	ISSUED FOR FORMING TENDER	2014-09-27
4	CONSTRUCTION REVIEW	2014-12-15
5	RE ISSUED FOR PERMIT	2015-07-27
6	ISSUED FOR CONSTRUCTION	2015-03-16
7	UPDATED - IFC	2015-04-20
8	UPDATED - IFC	2015-05-21

ALEXANDRA PARK - BLOCK 11
TORONTO, ONTARIO

project no:	13015
scale:	AS NOTED
drawn by:	H.W.
reviewed by:	H.P.
date started:	MARCH 2014

COLUMN & WALL SCHEDULE

S-205