

14008 AQUAVISTA: LIGHTING SPECIFICATIONS






SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.1A 	Round Recessed Adjustable Downlight	L1 East Lobby L1 West Lobby L2 Party Room Fitness Room	Intra Lighting	PIPES RV S LED 17W 450mA IP20 13.0540.1110.1 24 Degree Beam Spread	LED 3000K, 120V White	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.1B *Similar to above but in black finish	Round Recessed Adjustable Downlight	L2 Dining Area	Intra Lighting	PIPES RV S LED 17W 450mA IP20 13.0540.1110.2 24 Degree Beam Spread	LED 3000K, 120V Black	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.2A 	Square Recessed Adjustable Trimless (Narrow Flood)	L1 East Lobby L1 West Lobby L2 Billiards Room	Intra Lighting	Hunter Spot R1 1U3.1121.8111.1 LED Driver Supplied New Construction Housing 24 Degree Beam Spread	1QTY X 18W LED, 3000K, 120V Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.2B 	Square Recessed Adjustable Trimless (Flood)	L1 East Lobby L1 West Lobby P1 Level	Intra Lighting	Hunter Spot R1 1U3.1121.8111.1 LED Driver Supplied New Construction Housing 40 Degree Beam Spread	1QTY X 18W LED, 3000K, 120V Black Housinfg	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.3 	Recessed Adjustable Trimless	L2 Party Room	Intra Lighting	Hunter Spot R1 1U3.1122.8111.1 LED Driver Supplied New Construction Housing	2QTY X 18W LED, 3000K, 120V Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.4A 	Linear Recessed Adjustable Trimless	L1 East Lobby	Intra Lighting	3HF HFS RI 2856mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0000.2 Hunter Flex RI Filler black 980mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.14)	26W LED 3000K Total system consumption: 170.00 W Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS




SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.4B 	Linear Recessed Adjustable Trimless	L1 East Lobby	Intra Lighting	3HF HFS RI 3996mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 6) 3.1320.0003.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler black 865mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 8.42)	26W LED 3000K Total system consumption: 204.00 W Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.4C 	Linear Recessed Adjustable Trimless	L1 West Lobby	Intra Lighting	3HF HFS RI 3074mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0003.2 Hunter Flex RI Filler black 489 (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.58)	26W LED 3000K Total system consumption: 170.00 W Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.4D 	Linear Recessed Adjustable Trimless	L2 Party Room	Intra Lighting	3HF HFS RI 3666mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 6) 3.1320.0003.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler black 700mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 7.76)	26W LED 3000K Total system consumption: 204.00 W Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS








SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.4E 	Linear Recessed Adjustable Trimless	L1 West Lobby	Intra Lighting	3HF HFS RI 3074mm/2 3.1381.8111.2 Hunter Flex RI-LED 16W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0003.2 Hunter Flex RI Filler black 489 (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.58)	16W LED 3000K Total system consumption: 170.00 W Black Housing	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.5 	Round Recessed Downlight	L2 W/C Janitors closet Kitchen P levels	Jesco Lighting	JESCO RLR-5612-30-WH/WH-JB 5" & 6" AC LED Downlight with Integral Junction Box New Construction Housing	120V, LED 12.8W, 3000K White Baffle, White Trim	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.6	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Issued for Tender 16.03.18	L.7 	2' x 4' LT LED Troffer	L1 BOH	H.E. Williams	2' x 4' LT LED Troffer LT-24-L30/830-AF-120	1QTY X 29W LED, 3000K, 120V White Powder Coat, Frosted Acrylic Diffuser	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.8 	LED Strip Light	Throughout	Jesco Lighting	Infina DL-AC-FLEX-30 7/8" W x 1/4" H	4.95W LED/FT, 120V, 3000K	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.9 	Custom Chandelier	L1 Mail Pick-Up	Gabriel Scott	Gabriel Scott Welles Long Chandelier 12'-0" L x 12" H (MAX)	15W E-12 Blackened Steel Exterior, Satin Brass Interior	Gabriel Scott Studio info@gabriel-scott.com T: 646.783.3770	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.10 *Same as L.14 	Wall Mount Picture Light	P1 Fitness, Spin, Yoga	Dana Lite	Linear T5 Fluorescent Sign/Display 2" Round Canopy Solo Fixture DF2S-2R12-BLF 24" W	24W T5 Fluorescent, 120V, 3000K Black	Salex Rohan Periana rperiana@salex.ca T: 416.457.6432	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.11A 	Linear Recessed luminaire	P1 Fitness, Spin	Intra Lighting	Recessed architectural linear LED luminaire GYON LEDplus R GL 2700 HO 830 FO Code: 13.6113.6138.1	LED 3000K Power supply: 120-277V 60 Hz Black Trim	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS








SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.11B 	Linear Recessed	P1 Yoga	Intra Lighting	Recessed architectural linear LED luminaire GYON LEDplus R GL 1800 HO 830 FO Code: 13.6113.6135.1	LED 3000K Power supply: 120-277V 60 Hz Black Trim	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.12 	Custom Chandelier	L1 East Elevator Lobby, L1 West Elevator Lobby, Typical East Elevator Lobby, Typical West Elevator Lobby	Bethel International	Custom Chandelier to Match Inspiration Image Model: MA22TLCUSTL.12 48" Dia x 17.5" H (MAX)	14QTY X 2W G9 LED, 120V Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions. Manufacturer's warranty of 1 year.
Issued for Tender 16.03.18	L.13 	LED Strip Light	L2 Catering Kitchen	Green Image Tech	GS-50-NFX3D-24V-WW C/W GIT-P3-03 Suspended linear lighting housing (2500mm long profile x 8mm H x 23.2mm W, frosted cover)	48W LED, 3000K, 240V	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.14 *Same as L.10 	Wall Mount Picture Light	P1 Fitness, Spin, Yoga	Dana Lite	Linear T5 Fluorescent Sign/Display 2" Round Canopy Solo Fixture DF2S-2R12-BLF	24W T5 Fluorescent, 120V, 3000K Black	Salex Rohan Periana rperiana@salex.ca T: 416.457.6432	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.15 	Linear Suspended Fixture	L1 Admin Office Meeting Room	Tech Lighting	Knox Linear Suspension 700LSKNOXB-LED	40W LED, 120V, 3000K Black	TPL Lighting Mike Hamilton mike@tpllighting.com T: 416.538.8989	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.16 	Custom Pendant	L2 Billiards Room	Bethel International	Custom Chandelier to Match Inspiration Image 25" W x 58" L x 28" H Stem	76.8 W, 3000K Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions. Manufacturer's warranty of 1 year. To be installed on a dimmer.
Issued for Tender 16.03.18	L.17 	Custom Chandelier	L2 Party Room	Bethel International	Custom Chandelier to Match Inspiration Image Model: BB.08.03 CUSTL 33" D x 90" W x 20" H C/W 34" H Stem	8QTY X 40W E12 320W, 120V Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions. Manufacturer's warranty of 1 year. To be installed on a dimmer.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS








SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.18 	Custom Chandelier	L2 Dining Area	Bethel International	Custom Chandelier to Match Inspiration Image Model: BBHORUSCUSTL 70.86" L x 59.05" W x 7.87" H C/W 34" H Stem	14QTY X 40W E12 560W, 120V Steel Structure for Blackened Steel and Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions. Manufacturer's warranty of 1 year. To be installed on a dimmer.
Issued for Tender 16.03.18	L.19 	Wet Rated LED Strip Light	L2 Steam Room L2 Sauna	Green Image Tech	GS-50-NFX3D-24V-WW	48W LED, 240V, 3000K	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.20 	Square Recessed Flush Mount Wall Wash Fixture	Typical East Elevator Lobby Typical West Elevator Lobby	Aculux	LED Recessed Adjustable 3-5/8" Square Aperture IC49LSQ-830-S 439SQWHZ-FM Flush Mount	20W LED, 120V, 3000K Wheat Haze Reflector	Salex Rohan Periana rperiana@salex.ca T: 416.457.6432	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.21 	Round Recessed Downlight	Typical Corridors Throughout	Jesco Lighting	JESCO RLR-4110-JB NWCONSTRUCTION	10W LED, 120V	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.22A 	Custom Horizontal Mount Wall Sconce	Typical Suite Entry	Bethel International	Custom Wall Sconce to Match Inspiration Image Model: ZAZ -20.5CUSTL 20" L x 3" H x 3" projection 1 yr. warranty	17QTY X 1W LED, 120V Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.22B 	Custom Vertical Mount Wall Sconce	Typical East Elevator Lobby Typical West Elevator Lobby	Bethel International	Custom Wall Sconce to Match Inspiration Image Model: ZAZ -40.5CUSTL 40" H x 3" D x 3" projection 1 yr. warranty	17QTY X 1W LED, 120V Steel Structure for Blackened Steel and Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.23 	Custom Pendant	L2 North Corridor	Bethel International	Custom Pendant to Match Inspiration Image Model: AA 01-12CUSTL 18" H x 25" Dia. 1 yr. warranty Structure made from machined aluminum	12QTY X 25W E17, 120V, 3000K Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS









SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	L.24 	Wet Rated Round Recessed Downlight	P1 Change room showers	SLV Lighting	Cupola 1701181U-WH New construction housing 701401U	1QTY X 8W LED GU5.3 MR16, 3000K 793412U White	TPL Lighting Mike Hamilton mike@tpllighting.com T: 416.538.8989	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.25 	Wet Rated Round Surface Mount Fixture	P1 Sauna	LEDS-C4	Cosmos 15-9362-34-37U	1QTY X 75W MAX E26, 120V, 3000K Grey	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.26	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Issued for Tender 16.03.18	L.28 	Custom Pendant	L1 East Lobby Vestibule L1 West Lobby Vestibule	Bethel International	Custom Pendant to Match Inspiration Image 40" H x 47" Dia Rod/stem to be 12" L. Canopy and rod to be in the same finish	160W LED, 120V, 3000K Steel Structure for Brushed Brass Finish to Match Designer Sample	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.29 	Surface Mount Fixture	P Levels	Tech Lighting	Finch Flush Mount Ceiling Light 700FMFIN-R-Z-LED830 12" Dia x 2.1" H Weight: 5.11 LB	29W LED, 120V, 3000K, 80CRI Black	TPL Lighting Mike Hamilton mike@tpllighting.com T: 416.538.8989	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.30 	Wall Sconce	P1 Stair 'L'	LEDS-C4	BEND 05-4394-78-M1U	2QTY X 4.5W LED, 120V, 3000K White	Chela Mirsad Burina info@chela.ca T: 647.539.6372	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.31 	Recessed Floor Fixture	P1 Stair 'L'	Castaldi Lighting	D44 tellux D44K/T13LWWNB 148mm dia. above ground x 93mm D x 170 dia. at base	4.4W LED, 3000K Sandblasted Stainless Steel	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Issued for Tender 16.03.18	L.32 	Surface Mount Fixture	L1 East Lobby	Atlantic Lighting	Cylinder 6X10 LED 6" Aperture open- VR Series SLED610-B30-VR15-3K-__-WH-WH	15W LED 3000K White	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Site Instruction #02 17.07.25	L.33 	Footlight	Stair 'L'	Eureka Lighting	Rift Paintable LED Recessed Wall Light, 6.3" x 6.3" 10292.LED.1.30.120V.WH	1W LED 3000K 120V White, Paintable	Litemode Steven Martelli steve@litemode.ca T: 905.738.8889	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS



SITE INSTRUCTION #02

17.07.25

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp/Colour/Finish	Supplier	Notes
Site Instruction #02 17.07.25	L.34 *Same as L.13 	LED Strip Light	Stair 'L'	Green Image Tech	GS-50-NFX3D-24V-WW C/W GIT-P3-03 Suspended linear lighting housing (2500mm long profile x 8mm H x 23.2mm W, frosted cover)	48W LED, 3000K, 240V	D2S Inc Adrien Turrin adrien@d2s.ca T: 416.674.0327	Install as per manufacturer's instructions.
Site Instruction #02 17.07.25	L.35 	Round Recessed Downlight	L10 Dino's Suite Entry Door (Type S1E)	Contraste Lighting	Ardito Ultra-Tin Profile 2 1/2" Round Downlight Regressed Trim With Flange A2RFR-1730M	14W LED 3000K 25° Narrow Beam Antique Nickel (17)	Litemode Steven Martelli steve@litemode.ca T: 905.738.8889	Install as per manufacturer's instructions.